



AMERICA'S RIFLE



2024 FALL CATALOG



**100% AMERICAN MADE.
100% AMERICAN DESIGNED.
100% AMERICAN BUILT.
100% BUSHMASTER.[®]**

Driven by the spirit of innovation that began over 50 years ago, the Bushmaster[®] name is one of quality, craftsmanship, and a legacy of fine American made firearms. We are here to bring back not only the rifles we all remember, but also the quality of the original Bushmaster[®] name.

We are dedicated to bringing new rifles to market, continuing new innovations, and keeping up with today's changing technology. While refining our engineering, manufacturing, and quality control operations, we continue building and delivering quality firearms for the American Sportsman.

This dedication to quality and performance is why Bushmaster[®] is and has always been America's Rifle, whether in the field or on the range.

Visit us online at Bushmaster.com and at [#bushmaster_official](https://twitter.com/bushmaster_official).

BUSHMASTER® **2024 FALL LINE** **TABLE OF CONTENTS**

- 3** **BA50®**
- 5** **V-RADICATOR™**
- 7** **A2 LINE**
- 9** **QRC® II**
- 11** **ORC® II**
- 13** **M4 PATROLMAN'S™**
- 15** **M4 PATROLMAN'S™ MOE®**
- 17** **BRAVO ZULU™**
- 20** **450 BUSHMASTER®**
- 22** **ADDITIONAL RIFLE OPTIONS**
- 25** **CALIFORNIA COMPLIANT**
- 32** **PARTS/ACCESSORIES**
- 40** **MUTA® II SUPPRESSORS**
- 46** **CONTACT US**



*OPTIC NOT INCLUDED

THE BUSHMASTER® BA50®

**BUSHMASTER'S® LONG RANGE HERO
IS BACK (AND IMPROVED).**

The Bushmaster® BA50® Bolt Action Rifle is one of the world's finest weapons for long-range shooting. The BA50® includes a Magpul® PRS® Gen3 Precision Adjustable Stock, a 29" free-floating barrel topped with a picatinny rail, and a Bushmaster® BA50® 3-Port Brake. Maintenance, takedown and assembly of the BA50® is intuitive and straight forward. Re-engineered to be reliable, durable and long lasting, the Bushmaster® BA50® provides an enjoyable shooting experience that is ideal for the .50 Caliber shooter at an affordable price.



BA50[®]

SPECIFICATIONS:

Caliber: .50 BMG

Barrel Length/Finish:

29", Cerakote

Thread Pitch: 1"-14 TPI

Twist Rate: 1:15

Overall Length: 56.75"

Lower Receiver Marking/Material:

BA50[®], 6061P6 Aircraft

Grade Aluminum

Upper Receiver Material:

7075-T6 Aluminum Alloy

Bolt Material: 9310 Steel

Weight of Rifle: 29.5 Lb

FEATURES:

Handguard: 14" 1913 Free Float

Billet Handguard

Stock: Magpul[®] PRS[®] Gen3 Precision Adjustable Stock

Grip: ERGO Tactical Super Ambi Grip

Trigger: BFI[®] Target Trigger

Muzzle Device: Bushmaster[®] BA50[®]

3-Port Brake

Magazine/Magazine Capacity:

BFI[®] Steel, 10 Round

Bipod: GG&G LCB-3 Heavy Duty Tactical Bipod

Case: Bushmaster[®] BA50[®] Fitted

Hard Case

AVAILABLE IN THE TWO COLOR CONFIGURATIONS

FLAT DARK EARTH

SKU: S-BA5-001-05005FDE-F
604206206046

BLACK

SKU: S-BA5-001-05005BLK-F
UPC: 604206206039

THE BUSHMASTER® V-RADICATOR™ .223 WYLDE

VARMINTS, COYOTES AND GROUNDHOGS HAVE MET THEIR MATCH WITH OUR NEW BUSHMASTER® RIFLE.

Introducing the ultimate companion for any varmint hunter, the .223 Wylde V-Radicator™ Rifle Series. Crafted with the dedicated varmint hunter in mind, the V-Radicator™ series is optimized to deliver accurate hits on small game and varmints at long ranges. The .223 Wylde chambering allows the flexibility to utilize 5.56 NATO or .223 Remington ammunition to achieve unparalleled accuracy and reliability. With offerings in an 18", 20" and 24" 416R Stainless Steel fluted barrel, the V-Radicator™ series of rifles has the right option for every small game and varmint hunter in the country. The V-Radicator™ series also comes equipped with a stainless-steel thread protector, making installation of your favorite muzzle device or suppressor simple. Outfitted with Magpul's® MOE® K2-XL grip and PR™ Carbine Stock, this new series of rifles creates a pleasant shooting experience that will last for hours on end. Whether you're shooting Prairie Dogs from a bench in South Dakota, or calling in Yotes in the Texas Panhandle you can depend upon the V-Radicator™ series to deliver, time and time again.



SPECIFICATIONS:**Caliber:** .223 WYLDE

(5.56 NATO/.223 REM)

Barrel Length/Material/Finish:

416R Stainless Steel, Bead Blasted

Thread Pitch: 1/2 x 28**Twist Rate:** 18" , 20" = 1:8, 24" = 1:9**Gas System:** Rifle-Length**Overall Length:** Listed Below**Lower Receiver Marking/Material:**XM15-E2S[®], 7075-T6 Aluminum Alloy**Upper Receiver / Material:**

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride**FEATURES:****Handguard:** BFI[®] 17" M-LOK Handguard**Stock:** Magpul[®] MOE[®] PR[®] Carbine Stock**Grip:** Magpul[®] MOE[®]-K2-XL Grip**Trigger:** DM2S[®] 2 Stage Trigger**Muzzle Device:** BFI Thread Protector**Magazine/Magazine Capacity:**Magpul[®] PMAG[®] 10 AR/M4 GEN M3[®]**18" .223 WYLDE****Overall Length:** 33.25" - 36.5"**10RD****SKU:** S-VRD-001-22310BLK-F**UPC:** 604206206107**20" .223 WYLDE****Overall Length:** 35.25" - 38.5"**10RD****SKU:** S-VRD-002-22310BLK-F**UPC:** 604206206114**24" .223 WYLDE****Overall Length:** 39.25" - 42.5"**10RD****SKU:** S-VRD-003-22310BLK-F**UPC:** 604206206121

V-RADICATOR[™]

THE BUSHMASTER® A2 LINE.

RETRO RIFLES REDEFINED.

Created in the tradition of the original Bushmaster® rifles, the A2 Rifle Line was built as a modern tribute to the Bushmaster's® 50th Anniversary. These rifles are now a permanent offering of the Bushmaster® line.

Reminding you of a time when things were simple, back when the standard was iron sights and fixed carry handles. We brought back phosphate-finished chrome-lined barrels and bolt carriers to rival the durability of the Windham, Maine originals.

One may have been your father's favorite rifle or your first AR growing up. These rifles make the perfect replacement for that rifle you sold or rebuilt into a flattop. The Bushmaster® A2 lineup is expertly forged to commemorate the brand's legacy and revive the style of the early AR platforms.



M4A2 PATROLMAN'S.™



XM15® A2.

THE XM15[®]A2

30RD SKU: 00-10031-BLK | UPC: 604206205216

10RD SKU: 10-10031-BLK | UPC: 604206205223

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 20",
4150 CMV, Phosphate Chrome Lined

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 39.5"

Gas System: Rifle-Length

Lower Receiver Marking/Material:

XM15-E2S[®], 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A2 Fixed Carry Handle, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: HPT & MPI Tested, Phosphate
Chrome Lined



FEATURES:

Handguard: A2 Handguard

Stock: A2 Fixed Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: BFI[®] Aluminum
30 Round, or BFI[®] 10 Round Steel - State
Regulations Depending

Front Sight: Standard A2 FSB

Rear Sight: 8/3 Fixed Carry Handle

THE M4A2 PATROLMAN'S[™]

30RD SKU: 00-10032-BLK | UPC: 604206205247

10RD SKU: 10-10032-BLK | UPC: 604206205254

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Phosphate Chrome Lined

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 31.5 - 34"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S[®], 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A2 Fixed Carry Handle, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: HPT & MPI Tested, Phosphate
Chrome Lined



FEATURES:

Handguard: M4 Handguard

Stock: CAR Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: BFI[®] Aluminum
30 Round, or BFI[®] 10 Round Steel - State
Regulations Depending

Front Sight: Standard A2 FSB

Rear Sight: 8/3 Fixed Carry Handle



QRC[®] II Lightweight

QRC® II Lightweight

SKU: 10rd 10-10017-BLK | 30rd 00-10017-BLK
UPC: 10rd 604206201690 | 30rd 604206201164

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32.5 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending

QRC® II PRO Lightweight

SKU: 10rd 10-10018-BLK | 30rd 00-10018-BLK
UPC: 10rd 604206201706 | 30rd 604206201171

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 33 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: B5 Bravo Stock
Grip: B5 Type 23 P-Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending



ORC® II

SKU: 30rd 00-10027-BLK | 10rd 10-10027-BLK
UPC: 30rd 604206204073 | 10rd 604206204080

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32.5 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending

ORC® II PRO

SKU: 30rd 00-10028-BLK | 10rd 10-10028-BLK
UPC: 30rd 604206205100 | 10rd 604206205117

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 33 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: B5 Bravo Stock
Grip: B5 Type 23 P-Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending



M4 PATROLMAN'S™

M4 PATROLMAN'S™ CARRY HANDLE

SKU: 10rd 10-10004-BLK | 30rd 00-10004-BLK

UPC: 10rd 604206201669 | 30rd 604206129628

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish 16",

4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 32 – 35.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: M4 Heat Shields

Stock: BFI® M4 Carbine Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: BFI® Aluminum

30 Round, or 10 Round Stainless Steel -

State Regulations Depending

Front Sight: F-Marked A2 FSB

Rear Sight: 6/3 Detachable Carry Handle

M4 PATROLMAN'S™ FLATTOP

SKU: 10rd 10-10011-BLK | 30rd 00-10011-BLK

UPC: 10rd 604206201676 | 30rd 604206200235

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish 16",

4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 32 – 35.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: M4 Heat Shields

Stock: BFI® M4 Carbine Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: BFI® Aluminum

30 Round, or 10 Round Stainless Steel -

State Regulations Depending

Front Sight: F-Marked A2 FSB

Rear Sight: Midwest Industries Combat Rifle

Rear Flip Sight



M4 Patrolman's™ MOE®

M4 PATROLMAN'S™ MOE® CARRY HANDLE

SKU: 10rd 10-10021-BLK | 30rd 00-10021-BLK
UPC: 10rd 604206201744 | 30rd 604206201188
COLORS: BLK | ODG | FDE | GRV



SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32.5 – 35.5"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride

FEATURES:

Handguard: Magpul®
 MOE SL® Carbine-Length Hand Guard
Stock: Magpul® CTR® Stock
Grip: Magpul® MOE® Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: Magpul® PMAG®
 AR/M4 GEN M2 MOE®, 10 or 30 Round- State
 Regulations Depending
Front Sight: F-Marked A2 FSB
Rear Sight: 6/3 Detachable Carry Handle

M4 PATROLMAN'S™ MOE® FLATTOP

SKU: 10rd 10-10022-BLK | 30rd 00-10022-BLK
UPC: 10rd 604206201751 | 30rd 604206201195
COLORS: BLK | ODG | FDE | GRV



SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32 – 35.5"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride

FEATURES:

Handguard: Magpul®
 MOE SL® Carbine-Length Hand Guard
Stock: Magpul® CTR® Stock
Grip: Magpul® MOE® Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: Magpul® PMAG®
 AR/M4 GEN M2 MOE®, 10 or 30 Round- State
 Regulations Depending
Front Sight: F-Marked A2 FSB
Rear Sight: Midwest Industries Combat Rifle
 Rear Flip Sight



BRAVO ZULU™

BUSHMASTER® BRAVO ZULU™ SERIES

Iconic name, renewed innovation.

Bravo Zulu™, meaning a job well done, brings new life to the dependable Bushmaster® line. Designed and manufactured to exceed all expectations, the Bravo Zulu™ features a free float rail, the Bushmaster® DM2S® 2 stage trigger, Magpul® furniture, and the Snake Charmer® II muzzle brake to reduce felt-recoil. Whether it be on the range, on the hunt, or on duty, the Bravo Zulu™ is Proven® to get the job “well done”.

BRAVO ZULU™

SKU: 00-10006-BLK | 10rd 10-10006-BLK
UPC: 604206200006 | 10rd 604206201683



SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:8
Overall Length: 33.5 – 37"
Gas System: Mid-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride

FEATURES:

Handguard: BFI® 15" M-LOK Handguard
Stock: Magpul® MOE SL® Stock
Grip: Magpul® MOE® Grip
Trigger: DM2S® 2 Stage Trigger
Muzzle Device: Snake Charmer® II
Magazine/Magazine Capacity: Magpul® PMAG® 30
 GEN M2 MOE®, 30 Roundor Magpul® PMAG® 10
 AR/M4 GEN M3®, 10 Round

BRAVO ZULU™ 450 BUSHMASTER®

SKU: 00-10015-BLK

UPC: 604206200402

SPECIFICATIONS:

Caliber: 450 Bushmaster®

Barrel Length/Material/Finish: 16",

4150 CMV, Salt Bath Nitride

Thread Pitch: 11/16 x 24

Twist Rate: 1:24

Overall Length: 33.5 – 37"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

Modified A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 15" M-LOK Handguard

Stock: Magpul® MOE SL® Stock

Grip: Magpul® MOE® Grip

Trigger: DM2S® 2 Stage Trigger

Muzzle Device: Snake Charmer® II

Magazine/Magazine Capacity:

BFI® Stainless Steel 450 Magazine,
5 Round

BRAVO ZULU™ SBR*

SKU: 30rd 00-90002-BLK 10rd 10-90002-BLK

UPC: 30rd 604206200419 10rd 60420620414

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 11.5",

4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 29 – 32.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



*SOT is required for purchase and all NFA rules apply

FEATURES:

Handguard: BFI® 10" M-LOK Handguard

Stock: Magpul® MOE SL® Stock

Grip: Magpul® MOE® Grip

Trigger: DM2S® 2 Stage Trigger

Muzzle Device: Snake Charmer® II

Magazine/Magazine Capacity:

Magpul® PMAG® 30 GEN M2 MOE®, 30 Round
or Magpul® PMAG® 10 AR/M4 GEN M3®,
10 Round

NFA ITEM



450 BUSHMASTER®

450 BUSHMASTER® 20"

SKU: 00-10010-BLK

UPC: 604206200167

SPECIFICATIONS:

Caliber: 450 Bushmaster®

Barrel Length/Material/Finish: 20",

4150 CMV, Salt Bath Nitride

Thread Pitch: 11/16 x 24

Twist Rate: 1:24

Overall Length: 40.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

Modified A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 15" M-LOK Handguard

Stock: A2 Fixed Stock

Grip: A2 Pistol Grip

Trigger: DM2S® 2 Stage Trigger

Muzzle Device: Snake Charmer® II

Magazine/Magazine Capacity:

BFI® Stainless Steel 450 Magazine,

5 Round

BOAR™ 20" 450 BUSHMASTER®

SKU: 00-10026-BLK

UPC: 604206201713

SPECIFICATIONS:

Caliber: 450 Bushmaster®

Barrel Length/Material/Finish: 20",

4150 CMV, Salt Bath Nitride

Thread Pitch: 11/16 x 24

Twist Rate: 1:24

Overall Length: 38 – 41.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-E2S®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

Modified A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 15" M-LOK Handguard

Stock: Magpul® UBR® GEN2 Collapsible Stock

Grip: Magpul® MOE® Grip

Trigger: DM2S® 2 Stage Trigger

Muzzle Device: Snake Charmer® II

Magazine/Magazine Capacity:

BFI® Stainless Steel 450 Magazine,

5 Round

A man and a woman are standing outdoors in a rural setting, holding rifles. The woman on the left is wearing a blue quilted jacket and holding a tan rifle. The man on the right is wearing a dark green quilted jacket and holding a black rifle. In the background, there are snow-capped mountains under a clear blue sky. A wooden fence is visible behind them.

**ADDITIONAL RIFLE OPTIONS
+ CALIFORNIA COMPLIANT**

M4 PATROLMAN'S™ BFSIII®

CARRY HANDLE

SKU: 30rd 00-10005-BLK | 10rd 10-10005-BLK
UPC: 30rd 604206200044 | 10rd 604206204035

FLATTOP

SKU: 30rd 00-10012-BLK | 10rd 10-10012-BLK
UPC: 30rd 604206200080 | 10rd 604206205070

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28 **Twist Rate:** 1:7
Overall Length: 32 – 35.5"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard:
 M4 Heat Shields
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: BFSIII® AR-C1
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending
Safety Selector: BFSIII® AR-C1 Ambi
Front Sight: F-Marked A2 FSB
Rear Sight: 6/3 Detachable Carry Handle or Midwest
 Industries Combat Rifle Rear Flip Sight

BRAVO ZULU™ BFSIII®

SKU: 30rd 00-10007-BLK | 10rd 10-10007-BLK
UPC: 30rd 604206200013 | 10rd 604206201843

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28 **Twist Rate:** 1:8
Overall Length: 33.5 – 37"
Gas System: Mid-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 15" M-LOK Handguard
Stock: Magpul® MOE SL® Carbine Stock
Grip: Magpul® MOE® Grip
Trigger: BFSIII® AR-C1
Muzzle Device: Snake Charmer® II
Magazine/Magazine Capacity: Magpul® PMAG® 30
 GEN M2 MOE®, 30 Roundor Magpul® PMAG® 10
 AR/M4 GEN M3®, 10 Round
Safety Selector: BFSIII® AR-C1 Ambi

ORC® II BFSIII®

SKU: 30rd 00-10029-BLK | 10rd 10-10029-BLK
UPC: 30rd 604206205162 | 10rd 604206205179

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32.5 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending

ORC® II PRO BFSIII®

SKU: 30rd 00-10030-BLK | 10rd 10-10030-BLK
UPC: 30rd 604206205186 | 10rd 604206205193

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 33 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-E2S®, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: B5 Bravo Stock
Grip: B5 Type 23 P-Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity: BFI® Aluminum
 30 Round, or 10 Round Stainless Steel - State
 Regulations Depending

CALIFORNIA COMPLIANT RIFLES.

OUR LEGAL AR15 PLATFORM FOR CALIFORNIA SPORTSMEN.

Why is this California-compliant?

Keeping with the tradition of offering legal firearms to the American People, Bushmaster® has created variations on our most popular firearms, meeting California Firearms Laws.

Every California Compliant Bushmaster® is equipped with a DFM® 10-RD magazine, and the lower receiver model is XM15-CA™. In addition, every rifle shipped to a Federal Firearm Licensed dealer located in California has California DOJ approval.

The DFM® magazine requires disassembly of the action to remove the magazine. This means no permanent alterations are needed.

The limiting tabs prevent release through the bottom of the magazine well and can only be removed from the top when the upper is tilted out of the way.

Installation requires removing and reinstalling your bolt catch.



V-RAPIDATOR™

SPECIFICATIONS:

Caliber: .223 WYLDE

(5.56 NATO/.223 REM)

Barrel Length/Material/Finish:

416R Stainless Steel, Bead Blasted

Thread Pitch: 1/2 x 28

Twist Rate: 18", 20" = 1:8, 24" = 1:9

Overall Length: Listed Below

Gas System: Rifle-Length

Lower Receiver Marking/Material:

XM15-CA™, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

FEATURES:

Handguard: BFI® 17" M-LOK Handguard

Stock: Magpul® MOE® PR® Carbine Stock

Grip: Magpul® MOE®-K2-XL Grip

Trigger: DM2S® 2 Stage Trigger

Muzzle Device: BFI Thread Protector

Magazine/Magazine Capacity: 10 Round
California Compliant DFM® Aluminum



18" .223 WYLDE

Overall Length: 33.25" - 36.5"

10RD

SKU: S-VRD-001-22310BLK-C

UPC: 604206206138



20" .223 WYLDE

Overall Length: 35.25" - 38.5"

10RD

SKU: S-VRD-002-22310BLK-C

UPC: 604206206145



24" .223 WYLDE

Overall Length: 39.25" - 42.5"

10RD

SKU: S-VRD-003-22310BLK-C

UPC: 604206206152

THE XM15[®]A2

CA SKU: CA-10031-BLK

UPC: 604206205230

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 20",
4150 CMV, Phosphate Chrome Lined

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 39.5"

Gas System: Rifle-Length

Lower Receiver Marking/Material:

XM15-CA™, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A2 Fixed Carry Handle, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: HPT & MPI Tested, Phosphate
Chrome Lined



FEATURES:

Handguard: A2 Handguard

Stock: A2 Fixed Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: DFM[®] Aluminum,
10 Round

Front Sight: Standard A2 FSB

Rear Sight: 8/3 Fixed Carry Handle

THE M4A2 PATROLMAN'S[™]

CA SKU: CA-10032-BLK

UPC: 604206205261

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Phosphate Chrome Lined

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 31.5 - 34"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-CA™, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A2 Fixed Carry Handle, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: HPT & MPI Tested, Phosphate
Chrome Lined



FEATURES:

Handguard: M4 Handguard

Stock: CAR Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity: DFM[®] Aluminum,
10 Round

Front Sight: Standard A2 FSB

Rear Sight: 8/3 Fixed Carry Handle

M4 PATROLMAN'S™ CARRY HANDLE (CA)

SKU: CA-10004-BLK
UPC: 604206200174

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32 – 35.5"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-CA™, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: M4 Heat Shields
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity:
 DFM® Aluminum, 10 Round
Front Sight: F-Marked A2 FSB
Rear Sight: 6/3 Detachable Carry Handle

M4 PATROLMAN'S™ FLATTOP (CA)

SKU: CA-10011-BLK
UPC: 604206200204

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32 – 35.5"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-CA™, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: M4 Heat Shields
Stock: BFI® M4 Carbine Stock
Grip: A2 Pistol Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity:
 DFM® Aluminum, 10 Round
Front Sight: F-Marked A2 FSB
Rear Sight: Midwest Industries Combat Rifle
 Rear Flip Sight

M4 PATROLMAN'S™ (CA) MOE® CARRY HANDLE

SKU: CA-10021-BLK

UPC: 604206204110

COLORS: BLK ONLY

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 32.5 – 35.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-CA™, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: Magpul®

MOE SL® Carbine-Length Hand Guard

Stock: Magpul® CTR® Stock

Grip: Magpul® MOE® Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity:

DFM® Aluminum, 10 Round

Front Sight: F-Marked A2 FSB

Rear Sight: 6/3 Detachable Carry Handle

M4 PATROLMAN'S™ (CA) MOE® FLATTOP

SKU: CA-10022-BLK

UPC: 604206204219

COLORS: BLK ONLY

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 32 – 35.5"

Gas System: Carbine-Length

Lower Receiver Marking/Material:

XM15-CA™, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: Magpul®

MOE SL® Carbine-Length Hand Guard

Stock: Magpul® CTR® Stock

Grip: Magpul® MOE® Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity:

DFM® Aluminum, 10 Round

Front Sight: F-Marked A2 FSB

Rear Sight: Midwest Industries Combat Rifle

Rear Flip Sight

BRAVO ZULU™ (CA)

SKU: CA-10006-BLK
UPC: 604206200228

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:8
Overall Length: 33.5 – 37"
Gas System: Mid-Length
Lower Receiver Marking/Material:
 XM15-CA™, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 15" M-LOK Handguard
Stock: Magpul® MOE SL® Carbine Stock
Grip: Magpul® MOE® Grip
Trigger: DM2S® 2 Stage Trigger
Muzzle Device: Snake Charmer® II
Magazine/Magazine Capacity:
 DFM® Aluminum, 10 Round

QRC® II (CA) | QRC® II PRO (CA)

SKU: CA-10017-BLK | **PRO:** CA-10018-BLK
UPC: 604206203892 | **PRO:** 604206203908

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)
Barrel Length/Material/Finish: 16",
 4150 CMV, Salt Bath Nitride
Thread Pitch: 1/2 x 28
Twist Rate: 1:7
Overall Length: 32.5 – 36"
Gas System: Carbine-Length
Lower Receiver Marking/Material:
 XM15-CA™, 7075-T6 Aluminum Alloy
Upper Receiver / Material:
 A4 Flat Top, 7075-T6 Aluminum Alloy
Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



QRC® II



QRC® II PRO

FEATURES:

Handguard: BFI® 14" M-LOK Handguard
Stock: BFI® M4 Carbine Stock | B5 Bravo Stock
Grip: A2 Pistol Grip | B5 Type 23 P-Grip
Trigger: Mil-Spec
Muzzle Device: A2 Flash Hider
Magazine/Magazine Capacity:
 DFM® Aluminum, 10 Round

ORC® II (CA)

SKU: CA-10027-BLK

UPC: 604206204097

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 32.5 – 36"

Gas System: Carbine-Length

Lower Receiver Marking/Material:
XM15-CA®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard

Stock: BFI® M4 Carbine Stock

Grip: A2 Pistol Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity:
DFM® Aluminum, 10 Round

ORC® II PRO (CA)

SKU: CA-10028-BLK

UPC: 604206205124

SPECIFICATIONS:

Caliber: 5.56 NATO (.223 REM)

Barrel Length/Material/Finish: 16",
4150 CMV, Salt Bath Nitride

Thread Pitch: 1/2 x 28

Twist Rate: 1:7

Overall Length: 33 – 36"

Gas System: Carbine-Length

Lower Receiver Marking/Material:
XM15-CA®, 7075-T6 Aluminum Alloy

Upper Receiver / Material:

A4 Flat Top, 7075-T6 Aluminum Alloy

Bolt/BCG Finish: MPI Tested, Salt Bath Nitride



FEATURES:

Handguard: BFI® 14" M-LOK Handguard

Stock: B5 Bravo Stock

Grip: B5 Type 23 P-Grip

Trigger: Mil-Spec

Muzzle Device: A2 Flash Hider

Magazine/Magazine Capacity:
DFM® Aluminum, 10 Round



PARTS/ACCESSORIES

UPPER ASSEMBLIES

M4 Patrolman's™ 16" 5.56/.223

SKU: 00-40004-BLK

UPC: 604206918222



M4 Patrolman's™ 16" Flattop 5.56/.223

SKU: 00-40008-BLK

UPC: 604206200259



Bravo Zulu™ 16" 5.56/.223

SKU: 00-40011-BLK

UPC: 604206200747



Bravo Zulu™ 300 Blackout 11.5"

SKU: 00-409004-BLK

UPC: 604206203939



UPPER ASSEMBLIES

QRC® II 16" Lightweight

SKU: 00-40017-BLK

UPC: 604206201324



ORC® II 16"

SKU: 00-40018-BLK

UPC: 604206205131



XM15®A2 20"

SKU: 00-40024-BLK

UPC: 604206206015



M4A2 Patrolman's™ 16"

SKU: 00-40026-BLK

UPC: 604206206023



UPPER ASSEMBLIES

Bravo Zulu™ 450 16" Bushmaster®

SKU: 00-40010-BLK

UPC: 604206200549



Bravo Zulu™ 450 20" Bushmaster®

SKU: 00-40009-BLK

UPC: 604206200761



Bravo Zulu™ 5.56/.223 11.5"

SKU: 00-49002-BLK

UPC: 604206200945



UPPER ASSEMBLIES



**A4 Stripped
Upper Receiver**

SKU: 00-40001-BLK
UPC: 604206201331



**A1 Stripped XM15[®] GREY
Upper Receiver**

SKU: F1004680-GRY
UPC: 604206204493



**A4 Complete
Upper Receiver**

SKU: 00-40002-BLK
UPC: 604206200150



**A4 Modified Complete
Upper Receiver**

SKU: F1006483
UPC: 604206204882

LOWER RECEIVERS - CA



**BRAVO ZULU
Built Lower Receiver - CA
With DFM Mag**

SKU: 00-20009-BLK

UPC: 604206201256



**M4 Built Lower Receiver - CA
With DFM Mag**

SKU: CA-20005-BLK

UPC: 604206200372

LOWER RECEIVERS



M4 Built Lower Receiver

SKU: 00-20010-BLK

UPC: 604206203168



A2 Built Lower Receiver

SKU: 00-20012-BLK

UPC: 604206203182

LOWER RECEIVERS



**Bushmaster® Bravo Zulu™
Built Lower Receiver**

SKU: 00-20013-BLK

UPC: 604206203205



**XM15-E2S® Stripped
Lower Receiver**

SKU: F1003308

UPC: 604206200488

**M4 Patrolman's™ MOE®
Built Lower Receiver**

BLK **SKU:** 00-20014-BLK
UPC: 604206204240

ODG **SKU:** 00-20014-ODG
UPC: 604206205056

FDE **SKU:** 00-20014-FDE
UPC: 604206205032

GRY **SKU:** 00-20014-GRY
UPC: 604206205049



**BFSIII® M4 Built
Lower Receiver**

SKU: 20011-BLK

UPC: 604206203175

BOLT CARRIER GROUPS



Bushmaster® Bolt Carrier Assembly Chrome Lined Phosphate 5.56/350/300BLK

SKU: F1002888

UPC: 604206204448



Bushmaster® Bolt Carrier Assembly 450BM/458 SOCOM

SKU: F1002890

UPC: 604206204875



Bushmaster® Bolt Carrier Group 5.56/300BLK, C158 Steel

SKU: F1002891

UPC: 604206206299

TRIGGERS



DM2S® 2 Stage Trigger

SKU: F1002086

UPC: 604206200068



AR-15 Milspec Trigger

SKU: 00-50053-BLK

UPC: 604206200075

MUZZLE DEVICES



**Bushmaster®
Snake Charmer® II
5.56/.223**

1/2 X 28 thread pitch

SKU: 00-51010-BLK
UPC: 604206204929



**Bushmaster®
Snake Charmer® II
450BM/350LGND Brake**

11/16 X 24 thread pitch

SKU: 00-51012-BLK
UPC: 604206204943



**Bushmaster®
Snake Charmer®
.308 WIN**

5/8 X 24 thread pitch

SKU: 00-51002-BLK
UPC: 604206200433



A2 Flash Hider

1/2 X 28 thread pitch

5.56/.223

SKU: F1000781
UPC: 604206200112

HANDGUARDS

BUSHMASTER® AR15 BRAVO ZULU™ M-LOK® HANDGUARD



10"

10"

SKU: 00-51206-BLK
UPC: 604206204042



13"

13"

SKU: 00-51209-BLK
UPC: 604206204059



15"

15"

SKU: 00-51204-BLK
UPC: 604206201560



17"

17"

SKU: 00-51208-BLK
UPC: 604206204066

MAGAZINES

30
RD.

BFI Aluminum Magazine - 5.56

30 Round - Aluminum
SKU: F1000755
UPC: 6044206116901

10
RD.

BFI Stainless Steel Magazine - 5.56

10 Round - Stainless Steel
SKU: F1000757
UPC: 6044206200631

5
RD.

Stainless Steel 450 BUSHMASTER®

5 Round
SKU: F419187
UPC: 604206200334

PARTS KITS



M4 Stock Kit

SKU: 00-50012-BLK

UPC: 604206200389



AR15 Upper Parts Kit

SKU: 00-50086-BLK


UPC: 604206201041



Buffer Tube Kit

SKU: 00-50021-BLK

UPC: 604204950



Bushmaster[®] AR15/M16 5.56 Bolt Rebuild Kit 5.56 NATO/350 LGND/300BLK

SKU: 00-50015-BLK

UPC: 604206200792



Rehab Kit

SKU: F 1003665

UPC: 604206204325

PARTS KITS



AR15 Marksman LPK

SKU: 00-50254-BLK

UPC: 604206201034



AR15 Essentials LPK

SKU: 00-50154-BLK

UPC: 604206201027



Complete LPK

SKU: 00-50054-BLK

UPC: 604206129413

MORE PARTS KITS AND ACCESSORIES AVAILABLE AT BUSHMASTER.COM



AR15 Lost Parts Kit

SKU: F1093382

UPC: 604206200808



AR15 Bolt Replacement Kit

SKU: 00-50013-BLK

UPC: 604206200785



Field Repair Kit

SKU: F1001694

UPC: 604206204318



**WE ARE
BUSHMASTER[®]
AND WE ARE
PROUD TO BE
UPAPOLOGETICALLY
AMERICAN.**

MORE PARTS AND ACCESSORIES ARE AVAILABLE.

Please visit our website at www.bushmaster.com to view our complete offerings and to stay up to date on our new products and any product changes.

DISTRIBUTORS & DEALERS

Bushmaster® Firearms is proud to offer competitive programs and pricing that allow your company to become a part of the Bushmaster® family! For more information on adding Bushmaster® to your lineup, please contact one of our sales representatives or contact us directly.

EXPORT STATEMENT

Bushmaster® Firearms participates in legal exports around the world. All items for sale are subject to ITAR and EAR restrictions and require export approval by the US Department of State or Department of Commerce.

WARRANTY INFORMATION


Bushmaster® will provide warranty services for defects in materials and/or workmanship at no charge to the purchaser for a period of 1 year from time of purchase of a Carson City, NV, product.

CONTACT INFORMATION

Bushmaster Firearms®

3505 Arrowhead Dr. Carson City, NV 89706

(800) 883-6229 info@bushmaster.com



FOLLOW US ON SOCIAL MEDIA
@BUSHMASTER_OFFICIAL



SCAN ME FOR ALL THE BUSHMASTER® LINKS